

Nursing in Hospice and Terminal Care:

Research and Practice

Barbara Petrosino



**Nursing in Hospice
and Terminal Care:
Research and Practice**



Taylor & Francis

Taylor & Francis Group

<http://taylorandfrancis.com>

Nursing in Hospice and Terminal Care: Research and Practice

Barbara M. Petrosino
Editor

 **Routledge**
Taylor & Francis Group
New York London

Published 2021 by Routledge
605 Third Avenue, New York, NY 10017
2 Park Square, Milton Park, Abingdon, Oxon OX14 4RN

Routledge is an imprint of the Taylor & Francis Group, an informa business

All rights reserved. No part of this book may be reprinted or reproduced or utilised in any form or by any electronic, mechanical, or other means, now known or hereafter invented, including photocopying and recording, or in any information storage or retrieval system, without permission in writing from the publishers.

Notice:

Product or corporate names may be trademarks or registered trademarks, and are used only for identification and explanation without intent to infringe.

Nursing in Hospice and Terminal Care: Research and Practice has also been published as *The Hospice Journal*, Volume 2, Number 1, Spring

Library of Congress Cataloging-in-Publication Data

Nursing in hospice and terminal care.

“Has also been published as the Hospice journal, volume 2, number 1,
—T.p. verso.

Includes bibliographies.

1. Hospice care. 2. Terminal care. 3. Nursing. I. Petrosino, Barbara M.
[DNLM: 1. Hospices. 2. Nursing. 3. Terminal Care. W1 H069H v.2 no.1/ WY 152
N97465]

RT87.T45N89

362.1'75

86-12015

ISBN: 9781315860022

Nursing in Hospice and Terminal Care: Research and Practice

The Hospice Journal
Volume 2, Number 1

CONTENTS

Introduction	xv
<i>Barbara M. Petrosino</i>	
Research Challenges in Hospice Nursing	1
<i>Barbara M. Petrosino</i>	
Individualization of Care	2
Availability of the Nurse	3
Patient-Family Control	4
Anticipatory Care	5
Symptom Control	6
Rapid, Effective Nursing Involvement	7
Interdisciplinary Interactions	8
Conclusion	8
Agendas for Quality of Life	11
<i>Benita C. Martocchio</i>	
Dying with Dignity	12
Healthy Dying	14
Comfort Care	14
Reservations	15
Quality of Life	16
A Future Agenda	17
Some Comments on Agendas	18
Caregivers and Agendas	19

How Can Nurses Improve the Quality of Life of the Hospice Client and Family?: An Exploratory Study	23
<i>Sandra S. McGinnis</i>	
Review of the Literature	23
Methodology	26
Results	28
Discussion	33
Patterns of Hospice Care—The RN Role	37
<i>Nancy Burns</i>	
<i>Kim Carney</i>	
Review of the Literature	39
The Present Study	44
Results	47
Conclusions	59
Myths and Realities in Palliative/Hospice Care	63
<i>Mary L. S. Vachon</i>	
Review of Relevant Literature	65
Method	69
Results	70
Summary	77
Oral Care	81
<i>Reidun Juvkam Daeffler</i>	
Introduction	81
Literature Review	82
Child and Family Teaching: Special Needs and Approaches	103
<i>Debra P. Hymovich</i>	
I. Systems	104
II. Significant Stressor	105
III. Mediating Variables	105
IV. Capabilities	111
V. Needs	111
VI. Time	112
VII. Intervention	113
Summary	118

The Experience of Terminal Illness on Adult Family Members	121
<i>Jane Marie Kirschling</i>	
Review of the Literature	122
Psychological Well-Being of Family Members	132
Implications for Nursing	133
Conclusion	136



Taylor & Francis

Taylor & Francis Group

<http://taylorandfrancis.com>



National Hospice Organization

The National Hospice Organization was created to promote and maintain quality care for the terminally ill and their families. Formally established in 1978, NHO is an independent, non-profit, membership association devoted exclusively to hospice.

NATIONAL HOSPICE ORGANIZATION BOARD OF DIRECTORS

MARY TAVERNA, RN, *Chairperson, Hospice of Marin*
JOHN J. MAHONEY, *President*
MICHAEL L. LEVY, MD, *Vice Chairperson, Fox Chase Cancer Center*
PATRICIA MURPHY, *Secretary, VNA of Dedham Hospice*
IRIS KOZIL, *Treasurer, Alive—Hospice of Nashville*
BERNARD BELL, *National Advisory Council*
HOWARD BELL, *Abbott—Northwestern Hospital*
JANICE CASEY, *Hospice of Stamford*
CAROLYN FITZPATRICK, *Consultant*
ROSEMARY HILLMAN, *Hospice of Central Iowa*
DOROTHY LEY, MD, *The Palliative Care Foundation*
JUDI LUND, *Hospice of North Carolina*
MARY MCKENNA, *Southeast Texas Hospice*
MOIRA REINHARDT, *The Pikes Peak Hospice*
SUSAN RIGGS, *Sinai Hospital Home Care Hospice*
ALMA STANFORD, *Providence Medical Center Hospice*
CLAIRE TEHAN, *Hospital Home Care Agency*
CHRISTY WHITNEY, *San Juan Hospice*
HAL BROWN, *Adele Knits*
MAE SUE TALLEY, *Washington, DC*

EDITOR

DAVID M. DUSH, PhD, *Department of Psychology, Central Michigan University*

ASSOCIATE EDITORS

MEDICINE

WILLIAM M. LAMERS, JR., MD, *Tom Baker Cancer Center, Calgary, Alberta*

NURSING

MADALON O'RAWE AMENTA, RN, DPH, *Pennsylvania State University,
VNA In-Home Hospice, New Kensington*

BARBARA M. PETROSINO, EdD, RN, *School of Nursing, University of Texas at Austin*

SOCIAL WORK

CATHERINE S. CORDOBA, MSW, *American Cancer Society, California Division,
Oakland, California*

PASTORAL CARE

ALLAN W. REED, MA, *All Saints' Rehabilitation Hospital, Springfield Retirement
Residence, Wyndmoor, Pennsylvania*

HOWARD K. BELL, MDiv, *Abbott Northwestern Hospital, Minneapolis, Minnesota*

PHARMACY

DANIEL R. TOAL, MS, RPh, *Hospice of Central Iowa, Drake University, Des Moines,
Iowa*

MEDICAL SOCIOLOGY

LENORA FINN PARADIS, PhD, *University of Kentucky*

MEDIA REVIEW

CHARLES A. CORR, PhD, *Southern Illinois University-Edwardsville*

EDITORIAL ADVISORY BOARD

INA AJEMIAN, MD, CCFP, *McGill Palliative Care Service*

STEPHEN G. ARTER, RPh, *Parkview Memorial Hospital*

JEANNE QUINT BENOLIEL, DNSc, *University of Washington*

JONI BERRY, MS, *Hospice of Wake County*

LEWIS R. BIGLER, MDiv, MA, MS, *Roswell Park Memorial Institute*

T. L. BRINK, PhD, *Western Graduate School of Psychology*

THOMAS G. BURISH, PhD, *Vanderbilt University*

BARRIE R. CASSILETH, PhD, *University of Pennsylvania Cancer Center*

GRACE H. CHRIST, ACSW, *Memorial Sloan-Kettering Cancer Center*

JEROME COHEN, PhD, *University of California, Los Angeles*

INGE CORLESS, RN, PhD, FAAN, *St. Peter's Hospice*

SCOTT CUMMINGS, PhD, *University of Louisville*

HANNAH DEAN, RN, PhD, *Southern Oregon State College*

ALICE S. DEMI, DNSc, *Medical College of Georgia*

JOANN S. DOWNES, MSW, *Hospice Program, Pennsylvania Hospital*

JAMES DuBe, PharmD, *University of Nebraska Hospital*

ZELDA FOSTER, CSW, *Brooklyn VA Medical Center*

BERNARD H. FOX, PhD, *Boston University School of Medicine*
 ROY M. GABRIEL, PhD, *Northwest Regional Educational Laboratory*
 DAVID S. GREER, MD, *Brown University*
 DANIEL C. HADLOCK, MD, *South Shore Medical Center*
 BERNICE CATHERINE HARPER, MSW, ACSW, MS, PH, *Health Care Financing Administration, HHS*
 ROSEMARY HILLMAN, MS, *Hospice of Central Iowa*
 ROBERT R. HUTZELL, PhD, V.A.M.C. *Palliative Care, Knoxville*
 EDITH JOHNSON, MSW, ACSW, *University of Minnesota Hospitals*
 ROBERT L. KANE, MD, *University of Minnesota*
 ROBERT KASTENBAUM, PhD, *Arizona State University*
 PRICILLA D. KISSICK, RN, MN, *Wissahickon Hospice*
 SAMUEL C. KLAGSBRUN, MD, *Four Winds Hospital*
 MARCIA LATTANZI, RN, MA, *Boulder County Hospice*
 MICHAEL H. LEVY, MD, *Fox Chase Cancer Center*
 SANDRA M. LEVY, PhD, *University of Pittsburgh School of Medicine*
 ARTHUR G. LIPMAN, PharmD, *University of Utah*
 JOANNE LYNN, MD, *George Washington University, Washington Home Hospice*
 JOSEFINA B. MAGNO, MD, *Hospice of Southeast Michigan*
 IDA M. MARTINSON, RN, PhD, FAAN, *University of California, San Francisco*
 Rev. LOWELL H. MAYS, *Institute for Human Values*
 ROBERT A. MILCH, MD, *Hospice of Buffalo*
 MARGARET S. MILES, PhD, RN, FAAN, *University of North Carolina*
 VINCENT MOR, PhD, *Brown University*
 JOHN F. NEWMAN, PhD, *Blue Cross and Blue Shield Association*
 MARILYN T. OBERST, RN, EdD, FAAN, *University of Wisconsin—Madison*
 COLIN MURRAY PARKES, MD, FRCPsych, *London Hospital Medical College*
 HARRY PERLSTADT, PhD, MPH, *Michigan State University*
 Rev. CARL F. PETERING, *Presbyterian Hospital, Oklahoma City*
 CAROL REED-ASH, RN, EdD, *Memorial Sloan-Kettering Cancer Center*
 JUDITH W. ROSS, MSW, ACSW, *Children's Hospital of Philadelphia*
 RUBEN SCHINDLER, DSW, *Bar-Ilan University, Israel*
 Rev. TAKESHI SAITO, *University of Minnesota Hospitals*
 DENNIS C. TURK, PhD, *University of Pittsburgh School of Medicine*
 ROBERT G. TWYXCROSS, MA, DM, FRCP, *The Churchill Hospital, England*
 TIMOTHY E. TYRE, PhD, *Waukesha Memorial Hospital, Milwaukee*
 MARY L. S. VACHON, RN, PhD, *Clarke Institute of Psychiatry*
 PROF. VITTORIO VENTAFRIDDA, *Fondazione Floriani, Italy*
 FLORENCE S. WALD, MN, *Branford, Connecticut*
 J. WILLIAM WORDEN, PhD, *Harvard Medical School*
 JEROME W. YATES, MD, *National Cancer Institute*
 LONNIE ZELTZER, MD, *University of Texas Health Sciences Center, San Antonio*



Taylor & Francis

Taylor & Francis Group

<http://taylorandfrancis.com>

Nursing in Hospice and Terminal Care: Research and Practice



Taylor & Francis

Taylor & Francis Group

<http://taylorandfrancis.com>

Introduction

In the past decade, health professionals have begun to carve a concept known as “hospice” out of health care. Hospice nursing in the United States can be considered to be in the neonatal stage of development, not really knowing that it is, *what* it is or even *if* it is a separate entity, much as the newborn infant. The research base for hospice nursing practice is even less developed (perhaps in the fetal stage). This special issue provides one effort in the long arduous developmental process. The first article identifies the components of hospice nursing and poses varied research questions to stimulate the evolution of each. The other articles make a contribution to the knowledge base of specific aspects of hospice nursing and provide the foundation for expanded research efforts.

Enhancing the quality of life of terminally ill persons has been identified as the primary *raison d'être* for the hospice movement. In her article, Martocchio explores the various meanings associated with quality of life such as death with dignity, healthy dying, and comfort care in terminal illness. She proposes that there are various patient agendas for enhancing one's quality of life and encourages our efforts to identify them.

The quality of life issue from the perspective of family caregivers and their perceptions of helpful nursing behaviors is addressed by McGinnis. She investigates ways to increase the effectiveness of terminal nursing care by looking at behaviors related to both the client's physical and psychosocial needs as well as the caregiver's psychosocial needs.

An examination of where and how nurses function in the hospice setting is presented by Burns and Carney. They describe the role of the nurse at various stages of hospice care. This study provides a basis for program design and for planning inservice education.

The problem of stress among hospice personnel has been given extensive attention in the recent literature. Vachon, a pioneer in this area of research, explores the myths and realities of stress in hospice settings and shoots down some of the “sacred cows” which lack scientific basis. This approach could encourage other researchers to

consider her framework for exploring myths and realities of symptom management and nursing interventions used in hospice care.

Hospice nursing care requires careful attention to the symptoms that patients develop in their terminal stage. Daeffler offers a thorough nursing care plan for dealing with the specific problems related to oral care of patients who are terminally ill. Hospice nurse researchers could explore other aspects of palliative care in a similar way in order to refine nursing practice in the hospice setting.

A rational and systematic process of assessment must precede meaningful interventions in all aspects of hospice care. Hymovich provides a framework for systematically assessing the needs of children and families and for providing interventions appropriate to the unique needs of each family with a terminally ill child.

The role of the family as caregivers is an essential focus of patient/family centered care. Kirschling presents her data to promote an understanding of the caregiving experiences of families with a terminally ill member.

Review of this collection of articles against the American Nurses' Association's definition of nursing, as expressed in their Social Policy Statement, is suggested. The focus of nursing is defined as "human responses to actual or potential health problems" (ANA, 1980, p. 9). Can this definition act as a framework for the development of hospice nursing? The answer to this question may help to clarify the identity of hospice nurses within the profession. Or, it may help to illuminate the weaknesses of the definition.

In order to build a scientific base for hospice nursing practice, the range of human responses to terminal illnesses must be explored and described. Testing the effectiveness of clinical nursing interventions intended to support positive human responses and those designed to alleviate problematic responses has to be carried out. Nurses in hospice care are being given these challenges. It is suggested that with each step of meeting the challenge, hospice nursing will make forward movement in its development toward maturity.

Barbara M. Petrosino
Guest Editor

REFERENCE

- ANA. (1980). "Nursing: A Social Policy Statement". Kansas City, MO. American Nurse's Association.

Research Challenges in Hospice Nursing

Barbara M. Petrosino

ABSTRACT. This article proposes that there are six major components of hospice nursing; individualization of care, availability of the nurse, patient-family control, anticipatory care, symptom control, rapid, effective nursing involvement, and interdisciplinary interactions. Each component is explored and a variety of research questions are posed in an attempt to identify the basis for the practice of hospice nursing.

Hospice Nursing in 1986 is alive and well. Many of the organizational and financial obstacles that faced hospices over the last ten years have begun to clear. Thus, hospice nurses can focus their entire energies on delivering care in a creative and thorough manner. The development of quality hospice care will depend on the refinement of its essential components. It is within this framework that it will, perhaps, be possible to address the often asked question, "Is hospice nursing different?" At this time the question is premature, perhaps even unimportant. Rather, the question should be, "How can we refine the components of hospice nursing and thus improve the quality of nursing care?"

The major components of hospice care have been highlighted in the literature as well as in discussion of hospice nursing practice (Baird, 1980; Blues & Zerwekh, 1984; Buckingham, 1980; Cohen, 1979). While they are subject to further clarification, for the purposes of this paper, the essential components of hospice nursing are identified as:

Dr. Barbara M. Petrosino is on the faculty of the University of Texas at Austin. She has been active in hospice work for the past seven years. She initiated and edits the *Hospice Nursing Newsletter*. She helped develop Hospice of El Paso and recently served as its President. She has conducted workshops on death and dying, currently serves as Chairperson of the Professional Liaison Committee of the National Hospice Organization and is an Associate Editor for *Nursing for The Hospice Journal*. Direct correspondence to 9806 Bordeaux Lane, Austin, TX 78750.

- individualization of care
- availability of the nurse
- patient-family control
- anticipatory care
- symptom control
- rapid, effective nursing involvement
- interdisciplinary interactions

The components could be treated from a more philosophical or conceptual approach. However, this discussion focuses on each component from the practical perspective of nursing interventions.

The vehicle for refining these and/or other components of hospice nursing care is research. In some instances, high quality descriptive investigations are needed to identify such things as the specific characteristics of hospice patients' and families' needs, the nursing approaches that are being used, and the clinical experiences of nurses. In other instances, instruments need to be designed and tested, particular interventions need to be validated for use with hospice patients, and different approaches need to be measured and compared to determine the circumstances under which patient outcomes vary. There is a need for both qualitative and quantitative research efforts.

In the remainder of this article the essential components of hospice nursing are discussed briefly, and problem areas and research questions are posed for each. The intent is to stimulate thinking, discussion and research efforts.

INDIVIDUALIZATION OF CARE

The hospice nurse works with the patient and family to design a plan of nursing care that is distinctive for the patient and that fits his or her preferences and needs. This plan and its implementation is molded and altered primarily around the patient's values, characteristics and environment. There is less pressure to give emphasis to peripheral or external factors (e.g., institutional policies and routines) because the patient and the family are the central focus of attention.

Both published and unpublished testimonial-type case study examples indicate that individualized care is attempted, but there is little systematic research that has investigated the concept of in-

dividualized care and how it is achieved (Ajamian & Mount, 1981; Keaney, Hockley, & Morrison, 1982). For example, what does individualized care mean to patients? to families? to nurses? Do unbiased samples of patients find their nursing care adequately individualized to meet their needs? *How* do hospice nurses individualize care? What nursing needs are most or least likely to be adequately addressed in an individualized way? What nursing needs *require* an individualized approach for them to be effectively alleviated? With an increased data base about individualization of care, this rather abstract, but important, component of hospice care can be further refined and operationalized.

AVAILABILITY OF THE NURSE

Hospice nurses are expected to respond to the needs of patients and families as the needs occur. The nurse's availability to respond is intended to be a means for enhancing the sense of security of patients and families. In order for nurses to be sufficiently flexible to accommodate changes in the patient's situation, hospice nurses require control over the use of their time.

As the primary professional caregiver, the nurse determines the need for care at each interaction and remains with the patient for whatever time period is appropriate. The nurse also decides how time with the patient will be spent. The lack of institutional schedules and most other external time restrictions permits the nurse to focus on the patient's needs. The patient's and family's confidence in the availability of the nurse is intended to decrease their feelings of stress.

The availability of the hospice nurse from the perspectives of patients and families and nurses has received little investigation. How do hospice nurses use their time with patients? How do hospice nurses decide when and how they will be available to patients and families for particular nursing needs (e.g., physical care, teaching, listening)? Do the patient's and family's perceptions of the availability of the nurse influence their feelings of security and their ability to cope? Is there a relationship between the amount of time the nurse spends with the patient and family and their resolution of grief? Is there a "critical period" when availability of the nurse has a significant influence on coping and grief resolution? Does control over use of time influence the nurse's self-concept and her ability to cope with patient care demands?